

Contents

1	Algorithms	2
1.1	Geometry	2
1.1.1	Convex Hull	2
1.1.2	Geometry Functions	2
1.2	Graph	2
1.2.1	Articulations and Bridges	2
1.2.2	Bellman-Ford	3
1.2.3	Bipartite Matching	3
1.2.4	Centroid Decomposition	3
1.2.5	Dijkstra	4
1.2.6	Dinic's	4
1.2.7	Edmonds-Karp	4
1.2.8	Floyd Warshall	5
1.2.9	Ford-Fulkerson	5
1.2.10	Hopcroft-Karp	5
1.2.11	Kosaraju	5
1.2.12	Kruskal	6
1.2.13	Lowest Common Ancestor (LCA)	6
1.2.14	Prim	6
1.2.15	Tarjan	7
1.2.16	Topological Sort	7
1.3	Math	7
1.3.1	Big Integer	7
1.3.2	Binary Exponentiation	8
1.3.3	Euler Totient ( $\phi$ )	8
1.3.4	Fast Fourier Transform (FFT)	9
1.3.5	Linear Recurrence	9
1.3.6	Matrix	9
1.3.7	Modular Multiplicative Inverse	10
1.3.8	Sieve of Eratosthenes	10
1.4	Paradigm	10
1.4.1	Edit Distance	10
1.4.2	Kadane	10
1.4.3	Longest Increasing Subsequence (LIS)	10
1.4.4	Ternary Search	11
1.5	String	11
1.5.1	Knuth-Morris-Pratt (KMP)	11
1.5.2	Z-function	11
1.6	Structure	11
1.6.1	AVL tree	11

<b>CONTENTS</b>		<b>2</b>
1.6.2	Balltree . . . . .	12
1.6.3	Binary Indexed Tree (BIT) . . . . .	13
1.6.4	Binary Indexed Tree 2D (BIT2D) . . . . .	13
1.6.5	Bitmask . . . . .	13
1.6.6	Disjoint-set . . . . .	13
1.6.7	Lazy Segment Tree . . . . .	13
1.6.8	Policy Tree . . . . .	14
1.6.9	Segment Tree . . . . .	14
1.6.10	Sqrt Decomposition . . . . .	14
1.6.11	Trie . . . . .	15
<b>2</b>	<b>Misc</b>	<b>15</b>
2.1	Environment . . . . .	15
2.1.1	Vim Config . . . . .	15
2.1.2	Template . . . . .	15

# 1 Algorithms

## 1.1 Geometry

### 1.1.1 Convex Hull

**Time:**  $\mathcal{O}(n \log n)$

**Space:**  $\mathcal{O}(n)$

```
struct ConvexHull {
    using point = pair<double, double>;

    // The three points are a counter-clockwise turn if
    // cross > 0, clockwise if cross < 0, and collinear
    // if cross = 0.
    double cross(point a, point b, point c) {
        return (b.fi - a.fi) * (c.se - a.se) - \
            (b.se - a.se) * (c.fi - a.fi);
    }

    vector<int> run(const vector<point> &v) {
        int k = 0;
        vector<int> ans(v.size() * 2);

        sort(all(v), [](const point &a, const point &b) {
            return (a.fi == b.fi) ? (a.se < b.se) : (a.fi < b.fi);
        });

        // Uppermost part of convex hull
        for (int i = 0; i < v.size(); ++i) {
            while (k >= 2 && cross(v[ans[k-2]], v[ans[k-1]], v[i]) < 0)
                k--;
            ans[k++] = i;
        }

        // Lowermost part of convex hull
        for (int i = v.size() - 2, t = k + 1; i >= 0; --i) {
            while (k >= t && cross(v[ans[k-2]], v[ans[k-1]], v[i]) < 0)
                k--;
            ans[k++] = i;
        }

        ans.resize(k - 1);
        return ans;
    }
};
```

### 1.1.2 Geometry Functions

```
#define to_deg(x) ((x * 180.0) / M_PI)
```

```
template <typename T>
struct Point {
    T x, y;

    Point(T x, T y) : x(x), y(y) {}
```

```
Point operator+(Point p) { return Point(x+p.x, y+p.y); }
Point operator-(Point p) { return Point(x-p.x, y-p.y); }

T dot(Point p) { return (x*p.x) + (y*p.y); }
T cross(Point p) { return (x*p.y) - (y*p.x); }

// Returns angle between this and p:
// atan2(y, x) is in the range [-180, 180]. To get [0, 360],
// atan2(-y, -x) + 180 is used
T angle(Point p) {
    return to_deg(atan2(-cross(p), -dot(p))) + 180.0;
}

// Returns cosine value between this and p.
T cosine(Point p) {
    return (dot(p) / (sqrt(dot(*this)*sqrt(p.dot(p))));
}

// Returns sine value between this and p.
T sine(Point p) {
    return (cross(p) / (sqrt(dot(*this)*sqrt(p.dot(p))));
}

// Finds orientation of ordered triplet (a,b,c).
// Collinear (0), Clockwise (1), Counterclockwise (2)
static int orientation(Point a, Point b, Point c) {
    T val = (b - a).cross(c - b);
    if (val == 0) return 0;
    return (val > 0) ? 1 : 2;
}

template <typename T>
struct Segment {
    Point<T> a, b;

    Segment(Point a, Point b) : a(a), b(b) {}

    // Checks if points p and q are on the same side
    // of the segment.
    bool same_side(Point p, Point q) {
        T cpp = (p - a).cross(b - a);
        T cpq = (q - a).cross(b - a);
        return ((cpp > 0 && cpq > 0) ||
            (cpp < 0 && cpq < 0));
    }

    // Checks if point p is on the segment.
    bool on_segment(Point p) {
        return (p.x <= max(a.x, b.x) &&
            p.x >= min(a.x, b.x) &&
            p.y <= max(a.y, b.y) &&
            p.y >= min(a.y, b.y));
    }

    // Checks if segment intersects with s.
    bool intersect(Segment s) {
        int o1 = Point::orientation(a, b, s.a);
        int o2 = Point::orientation(a, b, s.b);
```

```
int o3 = Point::orientation(s.a, s.b, a);
int o4 = Point::orientation(s.a, s.b, b);

if (o1 != o2 && o3 != o4)
    return true;

if (o1 == 0 && on_segment(s.a)) return true;
if (o2 == 0 && on_segment(s.b)) return true;
if (o3 == 0 && s.on_segment(a)) return true;
if (o4 == 0 && s.on_segment(b)) return true;

return false;
}
};

template <typename T>
struct Polygon {
    vector<Point<T>> v;

    Polygon() {}
    Polygon(vector<Point> v) : v(v) {}

    // Adds a vertex to the polygon.
    void add_point(Point p) { v.pb(p); }

    // Returns area of polygon (only works when vertices
    // are sorted in clockwise or counterclockwise order).
    double area() {
        double ans = 0;
        for (int i = 0; i < v.size(); ++i)
            ans += v[i].cross(v[(i + 1) % v.size()]);

        return fabs(ans) / 2.0;
    }
};
```

## 1.2 Graph

### 1.2.1 Articulations and Bridges

**Time:**  $\mathcal{O}(V + E)$

**Space:**  $\mathcal{O}(V + E)$

```
vector<int> graph[MAX];

struct Tarjan {
    int N;
    vector<int> vis, par, L, low;

    vector<ii> brid;
    vector<int> arti;

    Tarjan(int N) :
        N(N), vis(N), par(N), L(N), low(N) {}

    void init() {
        fill(all(L), 0);
```

```

    fill(all(vis), 0);
    fill(all(par), -1);
}

void dfs(int x) {
    int child = 0;
    vis[x] = 1;

    for (auto i : graph[x]) {
        if (!vis[i]) {
            child++;
            par[i] = x;

            low[i] = L[i] = L[x] + 1;
            dfs(i);
            low[x] = min(low[x], low[i]);

            if ((par[x] == -1 && child > 1) ||
                (par[x] != -1 && low[i] >= L[x]))
                arti.pb(x);

            if (low[i] > L[x])
                brid.pb(ii(x, i));
        } else if (par[x] != i)
            low[x] = min(low[x], L[i]);
    }
}

void run() {
    for (int i = 0; i < N; ++i)
        if (!vis[i])
            dfs(i);

    sort(all(arti));
    arti.erase(unique(all(arti)), arti.end());
}
};

```

## 1.2.2 Bellman-Ford

**Time:**  $\mathcal{O}(V \times E)$

**Space:**  $\mathcal{O}(V + E)$

```

struct BellmanFord {
    struct Edge { int u, v, w; };

    int N;
    vector<int> dist;
    vector<Edge> graph;

    BellmanFord(int N) :
        N(N), dist(N) {}

    void init() {
        fill(all(dist), inf);
    }

    // Returns distance between s and d.
    int run(int s, int d) {
        dist[s] = 0;

        for (int i = 0; i < N; ++i)

```

```

        for (auto e : graph)
            if (dist[e.u] != inf &&
                dist[e.u] + e.w < dist[e.v])
                dist[e.v] = dist[e.u] + e.w;

        // Check for negative cycles, return -inf if
        // there is one
        for (auto e : graph)
            if (dist[e.u] != inf &&
                dist[e.u] + w < dist[e.v])
                return -inf;

        return dist[d];
    }
};

```

## 1.2.3 Bipartite Matching

**Time:**  $\mathcal{O}(V \times E)$

**Space:**  $\mathcal{O}(V \times E)$

```

vector<int> graph[MAX];

struct BipartiteMatching {
    int N;
    vector<int> vis, match;

    BipartiteMatching(int N) :
        N(N), vis(N), match(N) {}

    void init() {
        fill(all(vis), 0);
        fill(all(match), -1);
    }

    int dfs(int x) {
        if (vis[x])
            return 0;

        vis[x] = 1;
        for (auto i : graph[x])
            if (match[i] == -1 || dfs(match[i])) {
                match[i] = x;
                return 1;
            }

        return 0;
    }

    int run() {
        int ans = 0;
        for (int i = 0; i < N; ++i)
            ans += dfs(i);

        return ans;
    }
};

```

## 1.2.4 Centroid Decomposition

**Description:**

The Centroid Decomposition of a tree is a tree where its root is the centroid of the original tree, and its children are the centroid of each tree resulting from the removal of the root from the original tree.

The result is a tree with  $\lg(n)$  height, where the path from  $a$  to  $b$  in the original tree can be decomposed into the path from  $a$  to  $\text{lca}(a, b)$  and from  $\text{lca}(a, b)$  to  $b$ .

This is useful because each one of the  $n^2$  paths of the original tree is the concatenation of two paths in a set of  $\mathcal{O}(\lg(n))$  paths from a node to all its ancestors in the centroid decomposition.

**Time:**  $\mathcal{O}(V \log V)$

**Space:**  $\mathcal{O}(V + E)$

```

// Must be a tree
vector<int> graph[MAX];

struct CentroidDecomposition {
    vector<int> par, size, marked;

    CentroidDecomposition(int N) :
        par(N), size(N), marked(N)
    { init(); }

    void init() {
        fill(all(marked), 0);
        build(0); // 0-indexed vertices
    }

    void build(int x, int p = -1) {
        int n = dfs(x);
        int centroid = get_centroid(x, n);

        marked[centroid] = 1;
        par[centroid] = p;

        for (auto i : graph[centroid])
            if (!marked[i])
                build(i, centroid);
    }

    // Calculates size of every subtree.
    int dfs(int x, int p = -1) {
        size[x] = 1;
        for (auto i : graph[x])
            if (i != p && !marked[i])
                size[x] += dfs(i, x);
        return size[x];
    }

    int get_centroid(int x, int n, int p = -1) {
        for (auto i : graph[x])
            if (i != p && size[i] > n / 2 && !marked[i])
                return get_centroid(i, x, n);
        return x;
    }

    int operator[](int i) {
        return par[i];
    }
};

```

## 1.2.5 Dijkstra

**Time:**  $\mathcal{O}(E + V \log V)$

**Space:**  $\mathcal{O}(V + E)$

```
vector<int> graph[MAX];

struct Dijkstra {
    int N;
    vector<int> dist, vis;

    Dijkstra(int N) :
        N(N), dist(N), vis(N)
    { init(); }

    void init() {
        fill(all(vis), 0);
        fill(all(dist), inf);
    }

    // Returns shortest distance from s to d.
    int run(int s, int d) {
        set<ii> pq;

        dist[s] = 0;
        pq.insert(ii(0, s));

        while (pq.size() != 0) {
            int u = pq.begin()->se;
            pq.erase(pq.begin());

            if (vis[u]) continue;
            vis[u] = 1;

            for (auto i : graph[u]) {
                if (!vis[i.fi] && dist[i.fi] > dist[u] + i.se) {
                    dist[i.fi] = dist[u] + i.se;
                    pq.insert(ii(dist[i.fi], i.fi));
                }
            }

            return dist[d];
        }
    };
};
```

## 1.2.6 Dinic's

**Time:**  $\mathcal{O}(E \times V^2)$

**Space:**  $\mathcal{O}(V + E)$

```
struct Dinic {
    struct Edge { int u, f, c, r; };

    int N;
    vector<int> depth, start;
    vector<vector<Edge>> graph;

    Dinic(int N) :
        N(N), depth(N), start(N), graph(N) {}

    void add_edge(int s, int t, int c) {
```

```
        Edge forw = { t, 0, c, graph[t].size() };
        Edge back = { s, 0, 0, graph[s].size() };

        graph[s].pb(forw);
        graph[t].pb(back);
    }

    bool bfs(int s, int t) {
        queue<int> Q;
        Q.push(s);

        fill(all(depth), -1);
        depth[s] = 0;

        while (!Q.empty()) {
            int v = Q.front(); Q.pop();

            for (auto i : graph[v])
                if (depth[i.u] == -1 && i.f < i.c) {
                    depth[i.u] = depth[v] + 1;
                    Q.push(i.u);
                }
        }

        return depth[t] != -1;
    }

    int dfs(int s, int t, int f) {
        if (s == t)
            return f;

        for ( ; start[s] < graph[s].size(); ++start[s]) {
            Edge &e = graph[s][start[s]];

            if (depth[e.u] == depth[s] + 1 && e.f < e.c) {
                int min_f = dfs(e.u, t, min(f, e.c - e.f));

                if (min_f > 0) {
                    e.f += min_f;
                    graph[e.u][e.r].f -= min_f;
                    return min_f;
                }
            }
        }

        return 0;
    }

    int run(int s, int t) {
        int ans = 0;
        while (bfs(s, t)) {
            fill(all(start), 0);

            while (int flow = dfs(s, t, inf))
                ans += flow;
        }

        return ans;
    };
};
```

## 1.2.7 Edmonds-Karp

**Time:**  $\mathcal{O}(V \times E^2)$

**Space:**  $\mathcal{O}(V^2)$

```
int rg[MAX][MAX];
int graph[MAX][MAX];

struct EdmondsKarp {
    int N;
    vector<int> par, vis;

    EdmondsKarp(int N) :
        N(N), par(N), vis(N)
    { init(); }

    void init() {
        fill(all(vis), 0);
    }

    bool bfs(int s, int t) {
        queue<int> Q;
        Q.push(s);
        vis[s] = true;

        while (!Q.empty()) {
            int u = Q.front(); Q.pop();

            if (u == t)
                return true;

            for (int i = 0; i < N; ++i)
                if (!vis[i] && rg[u][i]) {
                    vis[i] = true;
                    par[i] = u;
                    Q.push(i);
                }
        }

        return false;
    }

    int run(int s, int t) {
        int ans = 0;
        par[s] = -1;

        memcpy(rg, graph, sizeof(graph));

        while (bfs(s, t)) {
            int flow = inf;

            for (int i = t; par[i] != -1; i = par[i])
                flow = min(flow, rg[par[i]][i]);

            for (int i = t; par[i] != -1; i = par[i]) {
                rg[par[i]][i] -= flow;
                rg[i][par[i]] += flow;
            }

            ans += flow;
            init();
        }

        return ans;
    }
};
```

```
};
```

## 1.2.8 Floyd Warshall

**Time:**  $\mathcal{O}(V^3)$   
**Space:**  $\mathcal{O}(V^2)$

```
int dist[MAX][MAX];
int graph[MAX][MAX];

struct FloydWarshall {
    int N;

    FloydWarshall(int N) :
        N(N) {}

    int run() {
        for (int i = 0; i < N; ++i)
            for (int j = 0; j < N; ++j)
                dist[i][j] = graph[i][j];

        for (int k = 0; k < N; ++k)
            for (int i = 0; i < N; ++i)
                for (int j = 0; j < N; ++j)
                    dist[i][j] = min(dist[i][j],
                                      dist[i][k] + dist[k][j]);
    }
};
```

## 1.2.9 Ford-Fulkerson

**Time:**  $\mathcal{O}(E \times f)$   
**Space:**  $\mathcal{O}(V^2)$

```
int rg[MAX][MAX];
int graph[MAX][MAX];

struct FordFulkerson {
    int N;
    vector<int> par, vis;

    FordFulkerson(int N) :
        N(N), par(N), vis(N)
    { init(); }

    void init() { fill(all(vis), 0); }

    bool dfs(int s, int t) {
        vis[s] = true;
        if (s == t)
            return true;

        for (int i = 0; i < N; ++i)
            if (!vis[i] && rg[s][i]) {
                par[i] = s;

                if (dfs(i, t))
                    return true;
            }
    }
};
```

```
return false;
}

int run(int s, int t) {
    int ans = 0;
    par[s] = -1;

    memcpy(rg, graph, sizeof(graph));

    while (dfs(s, t)) {
        int flow = inf;

        for (int i = t; par[i] != -1; i = par[i])
            flow = min(flow, rg[par[i]][i]);

        for (int i = t; par[i] != -1; i = par[i]) {
            rg[par[i]][i] -= flow;
            rg[i][par[i]] += flow;
        }

        ans += flow;
        init();
    }

    return ans;
};
```

## 1.2.10 Hopcroft-Karp

**Time:**  $\mathcal{O}(E \times \sqrt{V})$   
**Space:**  $\mathcal{O}(V + E)$

```
vector<int> graph[MAX];

struct HopcroftKarp {
    int L, R;
    vector<int> dist;
    vector<int> matchL, matchR;

    HopcroftKarp(int L, int R) :
        L(L), R(R), dist(L),
        matchL(L), matchR(R)
    { init(); }

    void init() {
        fill(all(matchL), 0);
        fill(all(matchR), 0);
    }

    bool bfs() {
        queue<int> Q;

        for (int l = 1; l <= L; ++l)
            if (matchL[l] == 0) {
                dist[l] = 0;
                Q.push(l);
            } else {
                dist[l] = inf;
            }

        dist[0] = inf;
        while (!Q.empty()) {
```

```
int l = Q.front(); Q.pop();

        if (dist[l] < dist[0])
            for (auto r : graph[l])
                if (dist[matchR[r]] == inf) {
                    dist[matchR[r]] = dist[l] + 1;
                    Q.push(matchR[r]);
                }

        return (dist[0] != inf);
    }

    bool dfs(int l) {
        if (l == 0)
            return true;

        for (auto r : graph[l])
            if (dist[matchR[r]] == dist[l] + 1)
                if (dfs(matchR[r])) {
                    matchR[r] = l;
                    matchL[l] = r;
                    return true;
                }

        dist[l] = inf;
        return false;
    }

    int run() {
        int ans = 0;

        while (bfs(L))
            for (int l = 1; l <= L; ++l)
                if (matchL[l] == 0 && dfs(l))
                    ans++;

        return ans;
    }
};
```

## 1.2.11 Kosaraju

**Time:**  $\mathcal{O}(V + E)$   
**Space:**  $\mathcal{O}(V + E)$

```
vector<int> graph[MAX];
vector<int> transp[MAX];

struct Kosaraju {
    int N;
    stack<int> S;
    vector<int> vis;

    Kosaraju(int N) :
        N(N), vis(N)
    { init(); }

    void init() { fill(all(vis), 0); }

    void dfs(int x) {
        vis[x] = true;
```

```

    for (auto i : transp[x])
        if (!vis[i])
            dfs(i);
}

// Fills stack with DFS starting points to find SCC.
void fill_stack(int x) {
    vis[x] = true;

    for (auto i : graph[x])
        if (!vis[i])
            fill_stack(i);

    S.push(x);
}

// Returns number of SCC of a graph.
int run() {
    int scc = 0;

    init();
    for (int i = 0; i < N; ++i)
        if (!vis[i])
            fill_stack(i);

    // Transpose graph
    for (int i = 0; i < N; ++i)
        for (auto j : graph[i])
            transp[j].push_back(i);

    init();

    // Count SCC
    while (!S.empty()) {
        int v = S.top();
        S.pop();

        if (!vis[v]) {
            dfs(v);
            scc++;
        }
    }

    return scc;
}
};

```

## 1.2.12 Kruskal

**Time:**  $\mathcal{O}(E \log V)$

**Space:**  $\mathcal{O}(E)$

```

typedef pair<ii,int> iiii;
vector<iiii> edges;

```

```

struct Kruskal {
    int N;
    DisjointSet ds;

    Kruskal(int N) : N(N), ds(N) {}

    // Returns value of MST.
    int run(vector<iiii> &mst) {

```

```

        // Sort by weight of the edges
        sort(all(edges), [&](const iiii &a, const iiii &b) {
            // ('>' for maximum spanning tree)
            return a.se < b.se;
        });

        int size = 0;
        for (int i = 0; i < N; i++)
            ds.make_set(i);

        for (int i = 0; i < edges.size(); i++) {
            int pu = ds.find_set(edges[i].fi.fi);
            int pv = ds.find_set(edges[i].fi.se);

            // If the sets are different, then the edge i does
            // not close a cycle
            if (pu != pv) {
                mst.pb(edges[i]);
                size += edges[i].se;
                ds.union_set(pu, pv);
            }
        }

        return size;
    }
};

```

## 1.2.13 Lowest Common Ancestor (LCA)

**Time:**

- preprocess:  $\mathcal{O}(V \log V)$
- query:  $\mathcal{O}(\log V)$

**Space:**  $\mathcal{O}(V + E + V \log V)$

```

#define MAXLOG 20 //log2(MAX)

```

```

vector<ii> graph[MAX];

```

```

struct LCA {
    vector<int> h;
    vector<vector<int>> par, cost;

```

```

    LCA(int N) :
        h(N),
        par(N, vector<int>(MAXLOG)),
        cost(N, vector<int>(MAXLOG))
    { init(); }

    void init() {
        for (auto &i : par)
            fill(all(i), -1);
        for (auto &i : cost)
            fill(all(i), 0);
        dfs(0); // 0-indexed vertices
    }

    int op(int a, int b) {
        return a + b; // or max(a, b)
    }
}

```

```

void dfs(int v, int p = -1, int c = 0) {
    par[v][0] = p;
    cost[v][0] = c;

    if (p != -1)
        h[v] = h[p] + 1;

    for (int i = 1; i < MAXLOG; ++i)
        if (par[v][i - 1] != -1) {
            par[v][i] = par[par[v][i - 1]][i - 1];
            cost[v][i] = op(cost[v][i - 1], op(cost[par[v][i - 1]][i - 1]));
        }

    for (auto u : graph[v])
        if (p != u.fi)
            dfs(u.fi, v, u.se);
}

// Returns LCA (or sum or max).
int query(int p, int q) {
    int ans = 0;

    if (h[p] < h[q])
        swap(p, q);

    for (int i = MAXLOG - 1; i >= 0; --i)
        if (par[p][i] != -1 && h[par[p][i]] >= h[q]) {
            ans = op(ans, cost[p][i]);
            p = par[p][i];
        }

    if (p == q) {
#ifdef COST
        return ans;
    #else
        return p;
    #endif
    }

    for (int i = MAXLOG - 1; i >= 0; --i)
        if (par[p][i] != -1 && par[p][i] != par[q][i]) {
            ans = op(ans, op(cost[p][i], cost[q][i]));
            p = par[p][i];
            q = par[q][i];
        }

#ifdef COST
    if (p == q)
        return ans;
    else
        return op(ans, op(cost[p][0], cost[q][0]));
#else
    return par[p][0];
#endif
}
};

```

## 1.2.14 Prim

**Time:**  $\mathcal{O}(E \log E)$

**Space:**  $\mathcal{O}(V + E)$

```
vector<ii> graph[MAX];

struct Prim {
    int N;
    vector<int> vis;

    Prim(int N) :
        N(N), vis(N)
    { init(); }

    void init() {
        fill(all(vis), 0);
    }

    // Returns value of MST of graph.
    int run() {
        init();
        vis[0] = true;

        priority_queue<ii> pq;
        for (auto i : graph[0])
            pq.push(ii(-i.se, -i.fi));

        int ans = 0;
        while (!pq.empty()) {
            ii front = pq.top(); pq.pop();
            int u = -front.se;
            int w = -front.fi;

            if (!vis[u]) {
                ans += w;
                vis[u] = true;

                for (auto i : graph[u])
                    if (!vis[i.fi])
                        pq.push(ii(-i.se, -i.fi));
            }
        }

        return ans;
    }
};
```

### 1.2.15 Tarjan

**Time:**  $\mathcal{O}(V + E)$   
**Space:**  $\mathcal{O}(V + E)$

```
vector<int> scc[MAX];
vector<int> graph[MAX];

struct Tarjan {
    int N, ncomp, ind;

    stack<int> S;
    vector<int> vis, id, low;

    Tarjan(int N) :
        N(N), vis(N), id(N), low(N)
    { init(); }

    void init() {
        fill(all(id), -1);
```

```
        fill(all(vis), 0);
    }

    void dfs(int x) {
        id[x] = low[x] = ind++;
        vis[x] = 1;

        S.push(x);

        for (auto i : graph[x])
            if (id[i] == -1) {
                dfs(i);
                low[x] = min(low[x], low[i]);
            } else if (vis[i])
                low[x] = min(low[x], id[i]);

        // A SCC was found
        if (low[x] == id[x]) {
            int w;

            do {
                w = S.top(); S.pop();
                vis[w] = 0;
                scc[ncomp].pb(w);
            } while (w != x);

            ncomp++;
        }
    }

    int run() {
        init();
        ncomp = ind = 0;

        for (int i = 0; i < N; ++i)
            scc[i].clear();

        // Apply tarjan in every component
        for (int i = 0; i < N; ++i)
            if (id[i] == -1)
                dfs(i);

        return ncomp;
    }
};
```

### 1.2.16 Topological Sort

**Time:**  $\mathcal{O}(V + E)$   
**Space:**  $\mathcal{O}(V + E)$

```
vector<int> graph[MAX];

struct TopologicalSort {
    int N;
    stack<int> S;
    vector<int> vis;

    TopologicalSort(int N) :
        N(N), vis(N)
    { init(); }

    void init() { fill(all(vis), 0); }
```

```
bool dfs(int x) {
    vis[x] = 1;

    for (auto i : graph[x]) {
        if (vis[i] == 1) return true;
        if (!vis[i] && dfs(i)) return true;
    }

    vis[x] = 2;
    S.push(x);

    return false;
}

// Returns whether graph contains cycle
// or not.
bool run(vector<int> &tsort) {
    init();

    bool cycle = false;
    for (int i = 0; i < N; ++i)
        if (!vis[i])
            cycle |= dfs(i);

    if (cycle)
        return true;

    while (!S.empty()) {
        tsort.pb(S.top());
        S.pop();
    }

    return false;
}
};
```

## 1.3 Math

### 1.3.1 Big Integer

**Space:**  $\mathcal{O}(n)$

```
#include <bits/stdc++.h>

#define EPS 1e-6
#define MOD 1000000007
#define inf 0x3f3f3f3f
#define llinf 0x3f3f3f3f3f3f3f3f

#define fi first
#define se second
#define pb push_back
#define ende '\n'

#define all(x) (x).begin(), (x).end()
#define rall(x) (x).rbegin(), (x).rend()
#define mset(x, y) memset(&x, (y), sizeof(x))

using namespace std;

using ll = long long;
```

```

using ii = pair<int,int>;

const int base = 1000000000;
const int base_digits = 9;

struct BigInteger {
    int sign = 1;
    vector<int> num;

    BigInteger() {}
    BigInteger(const string &x) { read(x); }

    BigInteger operator+(const BigInteger &x) const {
        if (sign != x.sign)
            return *this - (-x);

        BigInteger ans = x;
        for (int i = 0, carry = 0; i < max(size(), x.size()) ||
            carry; ++i) {
            if (i == ans.size())
                ans.push_back(0);

            if (i < size())
                ans[i] += carry + num[i];
            else
                ans[i] += carry;

            carry = ans[i] >= base;
            if (carry)
                ans[i] -= base;
        }

        return ans;
    }

    BigInteger operator-(const BigInteger &x) const {
        if (sign != x.sign)
            return *this + (-x);
        if (abs() < x.abs())
            return -(x - *this);

        BigInteger ans = *this;
        for (int i = 0, carry = 0; i < x.size() || carry; ++i) {
            if (i < x.size())
                ans[i] -= carry + x[i];
            else
                ans[i] -= carry;

            carry = ans[i] < 0;
            if (carry)
                ans[i] += base;
        }

        ans.trim();
        return ans;
    }

    // Remove leading zeros.
    void trim() {
        while (!num.empty() && num.back() == 0)
            num.pop_back();

        if (num.empty())
            sign = 1;
    }
}

```

```

bool operator<(const BigInteger &x) const {
    if (sign != x.sign)
        return sign < x.sign;

    if (size() != x.size())
        return (size() * sign) < (x.size() * x.sign);

    for (int i = size() - 1; i >= 0; i--)
        if (num[i] != x[i])
            return (num[i] * sign) < (x[i] * x.sign);

    return false;
}

bool operator>(const BigInteger &x) const { return (x < *this); }
bool operator<=(const BigInteger &x) const { return !(x < *this); }
bool operator>=(const BigInteger &x) const { return !(*this < x); }
bool operator==(const BigInteger &x) const { return !(*this < x) && !(x < *this); }
bool operator!=(const BigInteger &x) const { return !(*this == x); }

// Handles -x (change of sign).
BigInteger operator-() const {
    BigInteger ans = *this;
    ans.sign = -sign;
    return ans;
}

// Returns absolute value.
BigInteger abs() const {
    BigInteger ans = *this;
    ans.sign *= ans.sign;
    return ans;
}

// Transforms string into BigInteger.
void read(const string &s) {
    sign = 1;
    num.clear();
    int pos = 0;
    while (pos < (int) s.size() && (s[pos] == '-' || s[pos] == '+')) {
        if (s[pos] == '-')
            sign = -sign;
        ++pos;
    }

    for (int i = s.size() - 1; i >= pos; i -= base_digits) {
        int x = 0;
        for (int j = max(pos, i - base_digits + 1); j <= i; j++)
            x = x * 10 + s[j] - '0';
        num.push_back(x);
    }

    trim();
}

friend istream& operator>>(istream &stream, BigInteger &v) {
    string s; stream >> s;
    v.read(s);
}

```

```

    return stream;
}

friend ostream& operator<<(ostream &stream, const BigInteger &x) {
    if (x.sign == -1)
        stream << '-';

    stream << (x.empty() ? 0 : x.back());
    for (int i = x.size() - 2; i >= 0; --i)
        stream << setw(base_digits) << setfill('0') << x.num[i];

    return stream;
}

// Handles vector operations.
int back() const { return num.back(); }
bool empty() const { return num.empty(); }
size_t size() const { return num.size(); }
void push_back(int x) { num.push_back(x); }

int &operator[](int i) { return num[i]; }
int operator[](int i) const { return num[i]; }
};

int main() {
    BigInteger x, y;
    cin >> x >> y;
    cout << x + y << endl;
    return 0;
}

```

### 1.3.2 Binary Exponentiation

Time:  $\mathcal{O}(\log n)$

Space:  $\mathcal{O}(1)$

```

struct BinaryExponentiation {
    ll fast_pow(ll x, ll n) {
        ll ans = 1;

        while (n) {
            if (n & 1)
                ans = ans * x;

            n >>= 1;
            x = x * x;
        }

        return ans;
    }
};

```

### 1.3.3 Euler Totient ( $\phi$ )

Time:  $\mathcal{O}(\sqrt{n})$

Space:  $\mathcal{O}(1)$

```

struct EulerTotient {
    int run(int n) {

```

```

int result = n;

for (int i = 2; i*i <= n; i++) {
    if (n % i == 0) {
        while (n % i == 0) n /= i;
        result -= result / i;
    }
}

if (n > 1)
    result -= result / n;

return result;
}
};

```

### 1.3.4 Fast Fourier Transform (FFT)

**Time:**  $\mathcal{O}(N \log N)$   
**Space:**  $\mathcal{O}(N)$

```

struct FFT {
    struct Complex {
        float r, i;

        Complex() : r(0), i(0) {}
        Complex(float r, float i) : r(r), i(i) {}

        Complex operator+(Complex b) {
            return Complex(r + b.r, i + b.i);
        }

        Complex operator-(Complex b) {
            return Complex(r - b.r, i - b.i);
        }

        Complex operator*(Complex b) {
            return Complex(r*b.r - i*b.i, r*b.i + i*b.r);
        }

        Complex operator/(Complex b) {
            float div = (b.r * b.r) + (b.i * b.i);
            return Complex((r * b.r + i * b.i) / div,
                (i * b.r - r * b.i) / div);
        }

        static inline Complex conj(Complex a) {
            return Complex(a.r, -a.i);
        }
    };

    vector<int> rev = {0, 1};
    vector<Complex> roots = {{0, 0}, {1, 0}};

    // Initializes reversed-bit vector (rev) and
    // roots of unity vector (roots)
    void init(int nbase) {
        rev.resize(1 << nbase);
        roots.resize(1 << nbase);

        // Construct rev vector
        for (int i = 0; i < (1 << nbase); ++i)
            rev[i] = (rev[i >> 1] >> 1) + \

```

```

        ((i & 1) << (nbase - 1));

        // Construct roots vector
        for (int base = 1; base < nbase; ++base) {
            float angle = 2 * M_PI / (1 << (base + 1));

            for (int i = 1 << (base - 1); i < (1 << base); ++i) {
                float angle_i = angle * (2*i + 1 - (1 << base));

                roots[i << 1] = roots[i];
                roots[(i << 1) + 1] = Complex(cos(angle_i),
                    sin(angle_i));
            }
        }
    }

    void fft(vector<Complex> &a) {
        int n = a.size();

        for (int i = 0; i < n; ++i)
            if (i < rev[i])
                swap(a[i], a[rev[i]]);

        for (int s = 1; s < n; s <= 1) {
            for (int k = 0; k < n; k += (s << 1)) {
                for (int j = 0; j < s; ++j) {
                    Complex z = a[k + j + s] * roots[j + s];
                    a[k + j + s] = a[k + j] - z;
                    a[k + j] = a[k + j] + z;
                }
            }
        }

        vector<int> multiply(const vector<int> &a,
            const vector<int> &b)
        {
            int nbase, need = a.size() + b.size() + 1;

            for (nbase = 0; (1 << nbase) < need; ++nbase);
            init(nbase);

            int size = 1 << nbase;
            vector<Complex> fa(size);

            for (int i = 0; i < size; ++i) {
                int x = (i < a.size() ? a[i] : 0);
                int y = (i < b.size() ? b[i] : 0);
                fa[i] = Complex(x, y);
            }

            fft(fa);

            Complex r(0, -0.25 / size);
            for (int i = 0; i <= (size >> 1); ++i) {
                int j = (size - i) & (size - 1);
                Complex z = (fa[j]*fa[j] - conj(fa[i]*fa[i])) * r;

                if (i != j)
                    fa[j] = (fa[i]*fa[i] - conj(fa[j]*fa[j])) * r;

                fa[i] = z;
            }

            fft(fa);

```

```

vector<int> res(need);
for (int i = 0; i < need; ++i)
    res[i] = fa[i].r + 0.5;

return res;
}
};

```

### 1.3.5 Linear Recurrence

**Time:**  $\mathcal{O}(\log n)$   
**Space:**  $\mathcal{O}(1)$

```

template <typename T>
matrix<T> solve(ll x, ll y, ll n) {
    matrix<T> in(2);

    // Example
    in[0][0] = x % MOD;
    in[0][1] = y % MOD;
    in[1][0] = 1;
    in[1][1] = 0;

    return fast_pow<T>(in, n);
}

```

### 1.3.6 Matrix

**Space:**  $\mathcal{O}(R \times C)$

```

template <typename T>
struct matrix {
    int r, c;
    vector<vector<T>> m;

    matrix(int k) : r(k), c(k) {
        m = vector<vector<T>>(k, vector<T>(k, 0));
    }

    matrix(int r, int c) : r(r), c(c) {
        m = vector<vector<T>>(r, vector<T>(c, 0));
    }

    matrix operator*(matrix a) {
        assert(r == a.c && c == a.r);

        Matrix res(r, c);
        for (int i = 0; i < r; ++i)
            for (int j = 0; j < c; ++j) {
                res[i][j] = 0;

                for (int k = 0; k < c; ++k)
                    res[i][j] += m[i][k] * a[k][j];
            }

        return res;
    }

    Matrix operator+(Matrix a) {
        Matrix res(k);

```

```

    for (int i = 0; i < r; ++i)
        for (int j = 0; j < c; ++j)
            res[i][j] = m[i][j] + a[i][j];

    return res;
}

void to_identity() {
    assert(r == c);

    for (auto &i : m)
        fill(all(i), 0);
    for (int i = 0; i < r; ++i)
        m[i][i] = 1;
}

vector<T> &operator[](int i) {
    return m[i];
}
};

```

### 1.3.7 Modular Multiplicative Inverse

**Time:**  $\mathcal{O}(\log m)$   
**Space:**  $\mathcal{O}(1)$

```

// ===== Fermat's Little Theorem =====
// Used when m is prime
// #include "binary_exponentiation.cpp"

```

```

ll mod_inverse(ll a) {
    return fast_pow(a, MOD - 2);
}

```

```

// ===== Extended Euclidean Algorithm =====
// Used when m and a are coprime

```

```

ll gcd_extended(ll a, ll b, ll &x, ll &y) {
    if (!a) {
        x = 0;
        y = 1;
        return b;
    }
}

```

```

ll x1, y1;
ll g = gcd_extended(b % a, a, x1, y1);

```

```

x = y1 - (b / a) * x1;
y = x1;

```

```

return g;
}

```

```

ll mod_inverse(ll a) {
    ll x, y;
    ll g = gcd_extended(a, MOD, x, y);

    return (x % MOD + MOD) % MOD;
}

```

### 1.3.8 Sieve of Eratosthenes

**Time:**  $\mathcal{O}(n \times \log \log n)$   
**Space:**  $\mathcal{O}(n)$

```

struct Sieve {
    int N;
    vector<int> is_prime;

    Sieve(int N) :
        N(N), is_prime(N+1)
    { init(); }

    void init() {
        fill(all(is_prime), 1);
    }

    vector<int> run() {
        vector<int> primes;
        init();

        for (int p = 2; p*p <= N; ++p)
            if (is_prime[p])
                for (int i = p*p; i <= N; i += p)
                    is_prime[i] = false;

        for (int p = 2; p <= N; ++p)
            if (is_prime[p])
                primes.pb(p);

        return primes;
    }
};

```

## 1.4 Paradigm

### 1.4.1 Edit Distance

**Time:**  $\mathcal{O}(m \times n)$   
**Space:**  $\mathcal{O}(m \times n)$

```

struct EditDistance {
    vector<vector<int>> dp;

    EditDistance(int N, int M) :
        dp(N, vector<int>(M)) {}

    int run(string a, string b) {
        for (int i = 0; i <= a.size(); ++i)
            for (int j = 0; j <= b.size(); ++j)
                if (i == 0)
                    dp[i][j] = j;
                else if (j == 0)
                    dp[i][j] = i;
                else if (a[i-1] == b[j-1])
                    dp[i][j] = dp[i-1][j-1];
                else
                    dp[i][j] = 1 + min({dp[i][j-1],
                                         dp[i-1][j],
                                         dp[i-1][j-1]});
    }
};

```

```

        return dp[a.size()][b.size()];
    }
};

```

### 1.4.2 Kadane

**Time:**  $\mathcal{O}(n + m)$   
**Space:**  $\mathcal{O}(n + m)$

```

struct Kadane {
    int run(const vector<int> &v, int &start, int &end) {
        start = end = 0;
        int msf = -inf, meh = 0, s = 0;

        for (int i = 0; i < v.size(); ++i) {
            meh += v[i];

            if (msf < meh) {
                msf = meh;
                start = s, end = i;
            }

            if (meh < 0) {
                meh = 0;
                s = i + 1;
            }
        }

        return msf;
    }
};

```

### 1.4.3 Longest Increasing Subsequence (LIS)

**Time:**  $\mathcal{O}(n^2)$   
**Space:**  $\mathcal{O}(n)$

```

struct LIS {
    int run(vector<int> v) {
        vector<int> lis(v.size()); lis[0] = 1;

        for (int i = 1; i < v.size(); ++i) {
            lis[i] = 1;

            for (int j = 0; j < i; ++j)
                if (v[i] > v[j] && lis[i] < lis[j] + 1)
                    lis[i] = lis[j] + 1;
        }

        return *max_element(all(lis));
    }
};

```

### 1.4.4 Ternary Search

**Time:**  $\mathcal{O}(\log n)$

**Space:**  $\mathcal{O}(1)$

```
struct TernarySearch {
    // Unimodal function
    double f(double x) {
        return x * x;
    }

    double run(double l, double r) {
        double rt, lt;

        for (int i = 0; i < 500; ++i) {
            if (fabs(r - l) < EPS)
                return (l + r) / 2.0;

            lt = (r - l) / 3.0 + l;
            rt = ((r - l) * 2.0) / 3.0 + l;

            // < | minimum of f
            // > | maximum of f
            if (f(lt) < f(rt))
                l = lt;
            else
                r = rt;
        }

        return (l + r) / 2.0;
    }
};
```

## 1.5 String

### 1.5.1 Knuth-Morris-Pratt (KMP)

**Time:**

- preprocess:  $\mathcal{O}(m)$
- search:  $\mathcal{O}(n)$

**Space:**  $\mathcal{O}(n + m)$

```
struct KMP {
    string patt;
    vector<int> table;

    KMP(string patt) :
        patt(patt), table(patt.size())
    { preprocess(); }

    void preprocess() {
        int i = 1, len = 0;

        while (i < patt.size()) {
            if (patt[i] == patt[len])
                table[i++] = ++len;
            else if (len)
                len = table[len - 1];
        }
    }
};
```

```
        else
            table[i++] = 0;
    }
}

vector<int> search(const string &txt) {
    int i = 0, j = 0;
    vector<int> occurs;

    while (i < txt.size()) {
        if (patt[j] == txt[i])
            i++, j++;

        if (j == patt.size()) {
            occurs.push_back(i - j);
            j = table[j - 1];
        } else if (i < txt.size() && patt[j] != txt[i]) {
            if (j > 0)
                j = table[j - 1];
            else
                i++;
        }
    }

    return occurs;
};
```

### 1.5.2 Z-function

**Time:**  $\mathcal{O}(n)$

**Space:**  $\mathcal{O}(n)$

```
struct ZFunction {
    vector<int> run(string s) {
        int n = (int) s.length();
        vector<int> z(n);

        int l = 0, r = 0;
        for (int i = 1; i < n; ++i) {
            if (i <= r)
                z[i] = min(r - i + 1, z[i - l]);

            while (i + z[i] < n && s[z[i]] == s[i + z[i]])
                z[i]++;

            if (i + z[i] - 1 > r) {
                l = i;
                r = i + z[i] - 1;
            }
        }

        return z;
    }
};
```

## 1.6 Structure

### 1.6.1 AVL tree

**Time:**  $\mathcal{O}(\log n)$

**Space:**  $\mathcal{O}(n)$

```
struct AVL {
    struct Node {
        int key, size, height;
        Node *left, *right;

        Node(int key, int size, int height) :
            key(key), size(size), height(height),
            left(nullptr), right(nullptr)
        {}

        void fix_height() {
            int lh = (left == nullptr) ? 0 : left->height;
            int rh = (right == nullptr) ? 0 : right->height;
            height = max(lh, rh) + 1;
        }

        void fix_size() {
            int ls = (left == nullptr) ? 0 : left->size;
            int rs = (right == nullptr) ? 0 : right->size;
            size = ls + rs + 1;
        }

        void fix_state() {
            fix_height();
            fix_size();
        }

        int get_balance() {
            int lh = (left == nullptr) ? 0 : left->height;
            int rh = (right == nullptr) ? 0 : right->height;
            return lh - rh;
        }
    };

    Node *root;

    AVL() : root(nullptr) {}

    void insert(int key) {
        root = insert(root, key);
    }

private:
    Node *rotate_right(Node *node) {
        Node *aux1 = node->left;
        Node *aux2 = aux1->right;
        aux1->right = node;
        node->left = aux2;
        node->fix_state();
        aux1->fix_state();
        return aux1;
    }

    Node *rotate_left(Node *node) {
        Node *aux1 = node->right;
        Node *aux2 = aux1->left;
```

```

    aux1->left = node;
    node->right = aux2;
    node->fix_state();
    aux1->fix_state();
    return aux1;
}

Node *insert(Node *node, int key) {
    if (node == nullptr) {
        Node *new_node = new Node(key, 1, 1);
        if (root == nullptr)
            root = new_node;
        return new_node;
    }

    if (key < node->key)
        node->left = insert(node->left, key);
    else
        node->right = insert(node->right, key);

    int balance = node->get_balance();
    node->fix_state();

    if (balance > 1 && key < node->left->key) {
        return rotate_right(node);
    } else if (balance < -1 && key > node->right->key) {
        return rotate_left(node);
    } else if (balance > 1 && key > node->left->key) {
        node->left = rotate_left(node->left);
        return rotate_right(node);
    } else if (balance < -1 && key < node->right->key) {
        node->right = rotate_right(node->right);
        return rotate_left(node);
    }

    return node;
}
};

```

## 1.6.2 Balltree

**Time:**  $\mathcal{O}(n \log n)$

**Space:**  $\mathcal{O}(n)$

```

#define x first
#define y second

struct BallTree {
    typedef pair<double, double> point;

    struct Node {
        double radius;
        point center;

        Node *left, *right;
    };

    BallTree(vector<point> &points) {
        build(points);
    }

    double distance(point &a, point &b) {

```

```

        return sqrt((a.x-b.x)*(a.x-b.x) + (a.y-b.y)*(a.y-b.y));
    }

    pair<double,int> get_radius(point &center,
        vector<point> &ps)
    {
        int ind = 0;
        double dist, radius = -1.0;

        for (int i = 0; i < ps.size(); ++i) {
            dist = distance(center, ps[i]);

            if (radius < dist) {
                radius = dist;
                ind = i;
            }
        }

        return pair<double,int>(radius, ind);
    }

    void get_center(const vector<point> &ps, point &center) {
        center.x = center.y = 0;

        for (auto p : ps) {
            center.x += p.x;
            center.y += p.y;
        }

        center.x /= (double) ps.size();
        center.y /= (double) ps.size();
    }

    void partition(const vector<point> &ps, vector<point> &left,
        vector<point> &right, int lind)
    {
        int rind = 0;
        double dist, grt = -1.0;
        double ldist, rdist;

        point rmpoint;
        point lmpoint = ps[lind];

        for (int i = 0; i < ps.size(); ++i)
            if (i != lind) {
                dist = distance(lmpoint, ps[i]);

                if (dist > grt) {
                    grt = dist;
                    rind = i;
                }
            }

        rmpoint = ps[rind];
        left.push_back(ps[lind]);
        right.push_back(ps[rind]);

        for (int i = 0; i < ps.size(); ++i)
            if (i != lind && i != rind) {
                ldist = distance(ps[i], lmpoint);
                rdist = distance(ps[i], rmpoint);

                if (ldist <= rdist)
                    left.push_back(ps[i]);

```

```

            else
                right.push_back(ps[i]);
        }

        Node *build(vector<point> &ps) {
            if (ps.size() == 0)
                return nullptr;

            Node *n = new Node;

            if (ps.size() == 1) {
                n->center = ps[0];

                n->radius = 0.0;
                n->right = n->left = nullptr;
            } else {
                get_center(ps, n->center);
                auto rad = get_radius(n->center, ps);

                vector<point> lpart, rpart;
                partition(ps, lpart, rpart, rad.second);

                n->radius = rad.first;
                n->left = build(lpart);
                n->right = build(rpart);
            }

            return n;
        }

        void search(Node *n, point t, multiset<double> &pq,
            int &k)
        {
            if (n->left == nullptr && n->right == nullptr) {
                double dist = distance(t, n->center);

                if (dist < EPS)
                    return;

                else if (pq.size() < k || dist < *pq.rbegin()) {
                    pq.insert(dist);
                    if (pq.size() > k)
                        pq.erase(prev(pq.end()));
                }
            } else {
                double distl = distance(t, n->left->center);
                double distr = distance(t, n->right->center);

                if (distl <= distr) {
                    if (pq.size() < k || (distl <= *pq.rbegin() + n->left->radius))
                        search(n->left, t, pq, k);
                    if (pq.size() < k || (distr <= *pq.rbegin() + n->right->radius))
                        search(n->right, t, pq, k);
                } else {
                    if (pq.size() < k || (distr <= *pq.rbegin() + n->right->radius))
                        search(n->right, t, pq, k);
                    if (pq.size() < k || (distl <= *pq.rbegin() + n->left->radius))
                        search(n->left, t, pq, k);
                }
            }
        }

```

```

    }
  }
};

```

### 1.6.3 Binary Indexed Tree (BIT)

**Time:**

- update:  $\mathcal{O}(\log n)$
- query:  $\mathcal{O}(\log n)$

**Space:**  $\mathcal{O}(n)$

```

struct BIT {
    int N;
    vector<int> tree;

    BIT(int N) :
        N(N), tree(N)
    { init(); }

    void init() { fill(all(tree), 0); }

    int query(int idx) {
        int sum = 0;
        for (; idx > 0; idx -= (idx & -idx))
            sum += tree[idx];
        return sum;
    }

    void update(int idx, int val) {
        for (; idx < N; idx += (idx & -idx))
            tree[idx] += val;
    }
};

```

### 1.6.4 Binary Indexed Tree 2D (BIT2D)

**Time:**

- update:  $\mathcal{O}(\log^2 n)$
- query:  $\mathcal{O}(\log^2 n)$

**Space:**  $\mathcal{O}(n^2)$

```

struct BIT2D {
    int N, M;
    vector<vector<int>> tree;

    BIT2D(int N, int M) :
        N(N), M(M), tree(N, vector<int>(M))
    {}

    void init() {
        for (auto &i : tree)
            fill(all(i), 0);
    }

    int query(int idx, int idy) {
        int sum = 0;

```

```

        for (; idx > 0; idx -= (idx & -idx))
            for (int m = idy; m > 0; m -= (m & -m))
                sum += tree[idx][m];
        return sum;
    }

    void update(int idx, int idy, int val) {
        for (; idx < N; idx += (idx & -idx))
            for (int m = idy; m < M; m += (m & -m))
                tree[idx][m] += val;
    }
};

```

### 1.6.5 Bitmask

**Time:**  $\mathcal{O}(1)$

**Space:**  $\mathcal{O}(1)$

```

struct Bitmask {
    ll state;

    Bitmask(ll state) :
        state(state)
    {}

    void set(int pos) {
        state |= (1 << pos);
    }

    void set_all(int n) {
        state = (1 << n) - 1;
    }

    void unset(int pos) {
        state &= ~(1 << pos);
    }

    void unset_all() {
        state = 0;
    }

    int get(int pos) {
        return state & (1 << pos);
    }

    void toggle(int pos) {
        state ^= (1 << pos);
    }

    int least_significant_one() {
        return state & (-state);
    }
};

```

### 1.6.6 Disjoint-set

**Time:**

- make\_set:  $\mathcal{O}(1)$
- find\_set:  $\mathcal{O}(a(n))$

- union\_set:  $\mathcal{O}(a(n))$

**Space:**  $\mathcal{O}(n)$

```

struct DisjointSet {
    int N;
    vector<int> rank, par;

    DisjointSet(int N) :
        N(N), rank(N), par(N)
    {
        for (int i = 0; i < N; ++i)
            make_set(i);
    }

    void make_set(int x) {
        par[x] = x;
        rank[x] = 0;
    }

    int find_set(int x) {
        if (par[x] != x)
            par[x] = find_set(par[x]);
        return par[x];
    }

    void union_set(int x, int y) {
        x = find_set(x);
        y = find_set(y);

        if (x != y) {
            if (rank[x] > rank[y])
                swap(x, y);

            par[x] = y;
            if (rank[x] == rank[y])
                rank[x]++;
        }
    }
};

```

### 1.6.7 Lazy Segment Tree

**Time:**

- build\_tree:  $\mathcal{O}(n \log n)$
- update\_tree:  $\mathcal{O}(\log n)$
- query\_tree:  $\mathcal{O}(\log n)$

**Space:**  $\mathcal{O}(n)$

```

int N;
struct LazySegmentTree {
    vector<int> tree, lazy;

    LazySegmentTree(const vector<int> &v) :
        tree(MAX*4), lazy(MAX*4)
    {
        init();
        build(v);
    }
};

```

```

void init() {
    fill(all(tree), 0);
    fill(all(lazy), 0);
}

inline int left(int x) { return (x << 1); }
inline int right(int x) { return (x << 1) + 1; }

void build(const vector<int> &v, int node = 1,
           int a = 0, int b = N - 1)
{
    if (a > b)
        return;

    if (a == b) {
        tree[node] = v[a];
        return;
    }

    int mid = (a + b) / 2;
    build(v, left(node), a, mid);
    build(v, right(node), mid + 1, b);
    tree[node] = tree[left(node)] + tree[right(node)];
}

void push(int node, int a, int b, int val) {
    tree[node] += val;
    // tree[node] += (b - a + 1)*val; (for Range Sum Query)

    if (a != b) {
        lazy[left(node)] += val;
        lazy[right(node)] += val;
    }

    lazy[node] = 0;
}

void update(int i, int j, int val, int node = 1,
            int a = 0, int b = N - 1)
{
    if (lazy[node] != 0)
        push(node, a, b, lazy[node]);

    if (a > b || a > j || b < i)
        return;

    if (i <= a && b <= j) {
        push(node, a, b, val);
        return;
    }

    int mid = (a + b) / 2;
    update(i, j, val, left(node), a, mid);
    update(i, j, val, right(node), mid + 1, b);
    tree[node] = tree[left(node)] + tree[right(node)];
}

int query(int i, int j, int node = 1,
           int a = 0, int b = N - 1)
{
    if (a > b || a > j || b < i)
        return 0;

    if (lazy[node])
        push(node, a, b, lazy[node]);
}

```

```

if (a >= i && b <= j)
    return tree[node];

int mid = (a + b) / 2;
int q1 = query(i, j, left(node), a, mid);
int q2 = query(i, j, right(node), mid + 1, b);
return q1 + q2;
}
};

```

## 1.6.8 Policy Tree

### Description:

A set-like STL structure with order statistics.

### Time:

- insert:  $\mathcal{O}(\log n)$
- erase:  $\mathcal{O}(\log n)$
- find\_by\_order:  $\mathcal{O}(\log n)$
- order\_of\_key:  $\mathcal{O}(\log n)$

### Space: $\mathcal{O}(n)$

```

#include <ext/pb_ds/assoc_container.hpp>
#include <ext/pb_ds/tree_policy.hpp>

using namespace __gnu_pbds;

typedef tree<
    int,
    null_type,
    less<int>,
    rb_tree_tag,
    tree_order_statistics_node_update
> set_t;

void operations() {
    set_t S;

    S.insert(x);
    S.erase(x);

    // Return iterator to the k-th largest element
    // (counting from zero)
    int pos = *S.find_by_order(k);

    // Return the number of items strictly smaller
    // than x
    int ord = S.order_of_key(x)
}

```

## 1.6.9 Segment Tree

### Time:

- update:  $\mathcal{O}(\log n)$
- query:  $\mathcal{O}(\log n)$

### Space: $\mathcal{O}(n)$

```

struct SegmentTree {
    int N;
    vector<int> tree;

    Tree(int N) :
        N(N), tree(2 * N, 0)
    {}

    // Base depends on 'op':
    // op: a + b -> base: 0
    // op: min(a,b) -> base: inf
    int base = -inf;
    int op(int a, int b) {
        return max(a, b);
    }

    void update(int idx, int val) {
        idx += N;
        tree[idx] = val;

        while (idx > 1) {
            tree[idx / 2] = op(tree[idx & ~1], tree[idx | 1]);
            idx /= 2;
        }
    }

    int query(int l, int r) {
        int ra = base, rb = base;
        l += N, r += N;

        while (l < r) {
            if (l % 2) ra = op(ra, tree[l++]);
            if (r % 2) rb = op(tree[--r], rb);

            l >>= 1;
            r >>= 1;
        }

        return op(ra, rb);
    }
};

```

## 1.6.10 Sqrt Decomposition

### Time:

- preprocess:  $\mathcal{O}(n)$
- query:  $\mathcal{O}(\sqrt{n})$
- update:  $\mathcal{O}(1)$

### Space: $\mathcal{O}(n)$

```

struct SqrtDecomposition {
    int block_size;
    vector<int> v, block;

    SqrtDecomposition(vector<int> v) :
        v(v), block(v.size())
    { init(); }
}

```

```

void init() {
    preprocess(v.size());
}

void update(int idx, int val) {
    block[idx / block_size] += val - v[idx];
    v[idx] = val;
}

int query(int l, int r) {
    int ans = 0;

    for (; l < r && ((l % block_size) != 0); ++l)
        ans += v[l];

    for (; l + block_size <= r; l += block_size)
        ans += block[l / block_size];

    for (; l <= r; ++l)
        ans += v[l];

    return ans;
}

void preprocess(int n) {
    block_size = sqrt(n);

    int idx = -1;
    for (int i = 0; i < n; ++i) {
        if (i % block_size == 0)
            block[++idx] = 0;

        block[idx] += v[i];
    }
}

```

```
};
```

### 1.6.11 Trie

**Time:**

- insert:  $\mathcal{O}(M)$
- search:  $\mathcal{O}(M)$

**Space:**  $\mathcal{O}(\text{alph} \times N)$

```

template <typename T>
struct Trie {
    int states;

    vector<int> ending;
    vector<vector<int>> trie;

    // Number of words (N) and number of letters per word
    // (M), and number of letters in alphabet (alph).
    Trie(int N, int M, int alph) :
        ending(N * M),
        trie(N * M, vector<int>(alph))
    { init(); }

    void init() {
        states = 0;
        for (auto &i : trie)
            fill(all(i), -1);
    }

    int len(T x) {
        if constexpr(is_same_v<T,int>)

```

```

        return 32;
        return x.size();
    }

    int idx(T x) {
        if constexpr(is_same_v<T,int>)
            return !(x & (1 << i));
        return x[i] - 'a';
    }

    void insert(T x) {
        int node = 0;

        for (int i = 0; i < len(x); ++i) {
            if (trie[node][idx(x, i)] == -1)
                trie[node][idx(x, i)] = ++states;
            node = trie[node][idx(x, i)];
        }

        ending[node] = true;
    }

    bool search(T x) {
        int node = 0;

        for (int i = 0; i < len(x); ++i) {
            node = trie[node][idx(x, i)];
            if (node == -1)
                return false;
        }

        return ending[node];
    }
};

```

## 2 Misc

### 2.1 Environment

#### 2.1.1 Vim Config

```

" Tabs
set expandtab
set smarttab

" Indents
set shiftwidth=2
set tabstop=2
set autoindent
set smartindent
set cindent

" Turn backup off
set nobackup
set nowb

```

```

set noswapfile

" Highlight matching brackets
set showmatch

" Display line numbers
set number

```

#### 2.1.2 Template

```

#define EPS 1e-6
#define MOD 1000000007
#define inf 0x3f3f3f3f
#define llinf 0x3f3f3f3f3f3f3f3f

#define fi first

```

```

#define se second
#define pb push_back
#define ende '\n'

#define all(x) (x).begin(), (x).end()
#define rall(x) (x).rbegin(), (x).rend()
#define mset(x, y) memset(&x, (y), sizeof(x))

using namespace std;

using ll = long long;
using ii = pair<int,int>;

int main() {
    ios::sync_with_stdio(0);
    cin.tie(0);

    return 0;
}

```